



imageFORMULA

DR-9080C

DR-7580

## LOW-VOLUME PRODUCTION SCANNER

The Canon imageFORMULA DR-9080C and DR-7580 production scanners offer outstanding image quality, easy handling, and versatility, all at a price to suit virtually any company's budget.

Because production-level scanning requires durability, the DR-9080C and DR-7580 scanners are robust yet compact and ready to handle almost any large job. An advanced feeding system and sensor technology help ensure that batches of mixed paper sizes are handled at maximum image quality and scanning speed—just what a production-volume scanner is expected to do.

### Specifications

<b>Type:</b>	Low-Volume Production Scanners			
<b>Document Feeding:</b>	Automatic or Manual Sheetfed			
<b>Scanning Speeds*</b>	<b>DR-9080C</b>		<b>DR-7580</b>	
	<b>Simplex</b>	<b>Duplex</b>	<b>Simplex</b>	<b>Duplex</b>
B/W:	Up to 110 ppm	Up to 220 ipm	Up to 90 ppm	Up to 180 ipm
Grayscale:	Up to 110 ppm	Up to 220 ipm	Up to 90 ppm	Up to 180 ipm
Color:	Up to 65 ppm	Up to 110 ipm		
<b>Scanning Element:</b>	Three-Line CMOS CIS			
<b>Document Size</b>				
Width:	2.2" x 12.0"			
Length:	2.8" x 17"			
Long Doc. Mode:	Up to 39.4"			
<b>ADF Capacity:</b>	500 Sheets			
<b>Interface:</b>	USB 2.0, SCSI-III			
<b>Dimensions (H x W x D):</b>	12.2" x 18.1" x 20.7"			
<b>Weight:</b>	55 lb.			
<b>Suggested Daily Volume:**</b>	10,000 Scans			

### FEATURES

- Ultrasonic Double-Feed Detection
- Staple Detection
- Automatic Page Size Detection
- Advanced Text Enhancement
- Color Dropout/Enhance
- Skip Blank Page
- Color Smoothing (DR-9080C Scanner Only)
- Count Only Mode
- Verify Mode
- Error Diffusion
- MultiStream
- ISIS®/TWAIN Drivers
- Bundled Canon CapturePerfect

### OPTIONS

- Exchange Roller Kit
- Post-Imprinter
- Endorser ED-600
- Hard Counter
- Barcode Module III
- Nine-Month Extended Service Package
- One-Year Extended Service Package

\* Examples based on typical settings, rated in pages/images per minute with letter-sized landscape documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

\*\* Calculation based on scanning speed and assumed daily use.



# imageFORMULA DR-X10C

## MID-VOLUME PRODUCTION SCANNER

The Canon imageFORMULA DR-X10C color production scanner uses state-of-the-art technology to deliver high-speed, high-quality image scanning, reliable document handling capabilities and superior durability.

The DR-X10C scanner offers enhanced sensor technology and a reliable feeding system to ensure that high volumes of mixed paper sizes or other challenging scan operations are handled with minimal operator intervention at maximum scanning speed. Plus, the robust, compact design, energy-saving performance, and advanced functionality tackle the high demands of production-level environments.

### Specifications

<b>Type:</b>	Mid-Volume Production Scanner	
<b>Document Feeding:</b>	Automatic or Manual Sheetfed	
<b>Scanning Speeds*</b>	<b>Simplex</b>	<b>Duplex</b>
B/W:	Up to 128 ppm	Up to 256 ipm
Grayscale:	Up to 128 ppm	Up to 256 ipm
Color:	Up to 128 ppm	Up to 256 ipm
<b>Scanning Element:</b>	Three-Line CMOS CIS	
<b>Document Size</b>		
Width:	2.0" x 12.0"	
Length:	2.8" x 17"	
Long Doc. Mode:	Up to 39.4"	
<b>ADF Capacity:</b>	500 Sheets	
<b>Interface:</b>	USB 2.0, SCSI-III	
<b>Dimensions (H x W x D):</b>	14.8" x 20.8" x 22.2"	
<b>Weight:</b>	85.8 lb.	
<b>Suggested Daily Volume:**</b>	60,000 Scans	

\* Examples based on typical settings, rated in pages/images per minute with letter-sized landscape documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

\*\* Calculation based on scanning speed and assumed daily use.

### FEATURES

• Three Ultrasonic Double-Feed Detection Sensors	• Skip Blank Page
• Three-Step Dust Prevention System	• Auto USB Power Switching
• Staple Detection	• Batch Separation
• Automatic Page Size Detection	• MultiStream
• Advanced Text Enhancement (Two Types)	• Retry Feeding
• Automatic Color Detection	• Rapid Recovery
• Deskew	• Three-Position Paper Feeding Tray
• Custom Color Dropout/Enhance	• ISIS®/TWAIN Drivers
• Selectable Background Color	• Bundled Canon CapturePerfect

### OPTIONS

• Exchange Roller Kit	• Barcode Module III
• Pre-Imprinter	• Kofax CGA Board
• Post-Imprinter	• Nine-Month Extended Service Package
• Patch Code Decoder	• One-Year Extended Service Package





1-800-OK-CANON  
[www.usa.canon.com](http://www.usa.canon.com)

Canon U.S.A., Inc.  
One Canon Plaza  
Lake Success, NY 11042

ISIS and MultiStream are trademarks of EMC Corporation. Adobe and Acrobat are registered trademarks of Adobe Systems Incorporated in the United States and/or other countries. OmniPage is a registered trademark of Nuance Communications, Inc., and/or its subsidiaries in the United States and/or other countries. CapturePerfect is a registered trademark of Canon Electronics Inc. CANON and IMAGERUNNER are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. CAREPAK is a registered trademark of Canon U.S.A., Inc. IMAGEANYWARE is a trademark of Canon. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged.

Specifications and availability subject to change without notice.  
©2009 Canon U.S.A., Inc. All rights reserved.

0129W455  
0209-DRHSDSB-10M-BIS



PRINTED ON RECYCLED  
PAPER IN THE U.S.A.